



EZ SDI - SDI 2.0 SYSTEM IS AVAILABLE FOR THE FOLLOWING VEHICLES:

Ver.24 - 01_08_2018



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
GIULIETTA	1800	5	940A1000	172	Direct Supercharged	Bosch MED 17.3.1	2012	LPG	
GIULIETTA	1750	6	940B2000	177	Direct Supercharged	Bosch MED 17.3.3	2016	LPG	



Audi

MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
A1	1200	5B	CBZA	63	Direct Supercharged TSI	Continental	2010	LPG	
A1	1400	5B	CAXA	90	Direct Supercharged	Bosch Motronic MED 17.5.5	2010	LPG	Automatic
A4	1800	4	CDHA	88	Direct Supercharged	Bosch Motronic MED 17.5.1	2007	LPG	
A4	1800	4	CDHB	118	Direct Supercharged	Bosch Motronic MED 17.5.1	2007	LPG	
A4	2000	4	BGB	147	Direct Supercharged	Bosch Motronic MED 9.1	2004-2008	LPG	
A4	2000	4	BPG	147	Direct Supercharged	Bosch Motronic MED 9.1	2005-2008	LPG	
A4	2000	4	BWE	147	Direct Supercharged	Bosch Motronic MED 9.1	2006-2008	LPG	
A4	2000	4	BWT	147	Direct Supercharged	Bosch Motronic MED 9.1	2006-2008	LPG	
A4	2000	4	AWA	110	Direct Aspirated	Bosch Motronic MED 7.1.1	2006-2008	LPG	
A4	2000	5B	CDNB	132	Direct Aspirated TSI	Bosch Motronic MED 17.1	2008-2014	LPG	
A5	2000	5B	CDNB	132	Direct Aspirated TSI	Bosch Motronic MED 17.1	2008-2014	LPG	
Q3	2000	5B	CCZC	125	Direct Supercharged	Bosch Motronic MED 17.5.2	2012	LPG	DSG - Start & Stop
Q5	2000	5	CDNC	155	Direct Supercharged TSI	Bosch Motronic MED 17.1	2009	LPG	Automatic
Q5	2000	5B	CDNB	132	Direct Supercharged TSI	BOSCH MED 17.1	2008-2014	LPG	Automatic
Q5	2000	5	CAEB	155	Direct Supercharged	BOSCH MED 17.1	2009	LPG	Automatic
TT	2000	4	CAW	147	Direct Supercharged	Bosch Motronic MED 9.1	2008-2009	LPG	



Cadillac

MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
ESCALADE	6200	6B	L86	313	Direct Aspirated	ECU	2015	LPG	Automatic

On SDI 2.0 system, the VSR strategy can be enabled; this strategy can use some petrol fuel even when the vehicle is running on gas, in case of special engine conditions - such as full load, operating speed... - in order to preserve the engine components. The amount of petrol the system needs can change depending on applications and driving mode.



EZ SDI - SDI 2.0 SYSTEM IS AVAILABLE FOR THE FOLLOWING VEHICLES:

Ver.24 - 01_08_2018



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
BERLINGO	1200	6	HN01	81	Direct Supercharged	9811675880 - 9812338980 - 9818160080	2015	LPG	Start & Stop
C3 PICASSO	1200	6	HN01	81	Direct Supercharged	Valeo VD46.1	2015	LPG	Start & Stop
C4 GRAN PICASSO	1200	6	HN02	96	Direct Supercharged	Valeo VD46.1	2016	LPG	
C4	1200	6	HN01	81	Direct Supercharged	Valeo VD46.1	2015	LPG	Start & Stop
C4 CACTUS	1200	6	HN01	81	Direct Supercharged	Valeo VD46.1	2015	LPG	Start & Stop
C4 CACTUS	1200	6	HN01	81	Direct Supercharged	Valeo VD46.1	2015	CNG	Start & Stop
C5	1600	5A	5FV	115	Direct Supercharged	MED 17.4	2010	LPG	
DS5	1600	5	5FV	115	Direct Supercharged	Bosch Motronic MED 17.4.2	2012	LPG	Automatic



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
CAPTIVA SPORT	2400	-	-	135	Aspirated	Delco E39A 12657781	206/2017	CNG	FlexFuel
S10	2500	-	-	151	Aspirated	Delphi E80 1267 0037	206/2017	CNG	FlexFuel
SILVERADO	4300 V6	-	-	209	Direct Aspirated	General Motor	-	LPG	
SILVERADO	5300	5	31 L83	255	Aspirated	General Motor	2014	CNG	Automatic
SILVERADO	5300	5	31 L83	255	Aspirated	General Motor	2014	LPG	Automatic

On SDI 2.0 system, the VSR strategy can be enabled; this strategy can use some petrol fuel even when the vehicle is running on gas, in case of special engine conditions - such as full load, operating speed... - in order to preserve the engine components. The amount of petrol the system needs can change depending on applications and driving mode.



EZ SDI - SDI 2.0 SYSTEM IS AVAILABLE FOR THE FOLLOWING VEHICLES:

Ver.24 - 01_08_2018



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
C-MAX	1000	5	M2DA	74	ECOBOOST Supercharged	Fomoco	2014	LPG	Start & Stop
C-MAX	1000	5B	M1DA	92	Direct Supercharged	Fomoco	2014	LPG	
B-MAX	1000	5	SFJA	74,5	ECOBOOST Supercharged	Fomoco	2014	LPG	Start & Stop
B-MAX	1000	5	SFJB	74,5	ECOBOOST Supercharged	Fomoco	2014	LPG	
B-MAX	1000	5B	M1JE	92	Direct Supercharged	Fomoco	2014	LPG	
ECOSPORT	1000	5B	M1JC	92	Direct Supercharged	Fomoco	2013	LPG	
ECOSPORT	1000	5B	M1JJ	92	Direct Supercharged	Fomoco	2013	LPG	
FIESTA	1000	5B	P4JA	59	Direct Aspirated	Fomoco	2013	LPG	
FIESTA	1000	5	SFJA	74,5	ECOBOOST Supercharged	Fomoco	2014	LPG	Start & Stop
FIESTA	1000	5	SFJB	74,5	ECOBOOST Supercharged	Fomoco	2014	LPG	
FIESTA	1000	6B	SFJD	74	ECOBOOST Supercharged	Fomoco	2016	LPG	Start & Stop
FOCUS	1000	5	M2DA	74	ECOBOOST Supercharged	Fomoco	2014	LPG	Start & Stop
FOCUS	1000	6	SFJA	74,5	ECOBOOST Supercharged	Fomoco	2015	CNG	Start & Stop
FOCUS	1000	5B	M2DC	74	ECOBOOST Supercharged	Fomoco	2015	LPG	Start & Stop
FOCUS	1000	6	M1DD	92	ECOBOOST Supercharged	Fomoco	2016	LPG	
FOCUS	1600	5A	JQDA	110	Direct Supercharged	Fomoco	2011	LPG	Start & Stop
FOCUS	1600	5A	JADB	110	Direct Supercharged	Fomoco	2011	LPG	Start & Stop
FUSION	2000	-	-	177	Direct Supercharged	Bosch FoMoCo 0 261 S09 307	2012/2013	CNG	FlexFuel
MONDEO	1500	6	UNCE	118	Direct Supercharged	-----	2015	LPG	Automatic / Start & Stop
MONDEO	1500	6B	UNCE	118	Direct Supercharged	ECU	2016	CNG	Automatic / Start & Stop
MONDEO	2000	5B	204PT	176	Direct Supercharged	Bosch	2012	LPG	Automatic
TOURNEO COURIER	1000	5	SFCD	74	ECOBOOST Supercharged	Fomoco	2014	LPG	Start & Stop
TOURNEO	1000	6	SFCC	74	ECOBOOST Supercharged	Fomoco	2015	LPG	Start & Stop



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
HRV i-VTEC	1500	6B	L15B4	96	Aspirated	Keihin	2015	LPG	

On SDI 2.0 system, the VSR strategy can be enabled; this strategy can use some petrol fuel even when the vehicle is running on gas, in case of special engine conditions - such as full load, operating speed... - in order to preserve the engine components. The amount of petrol the system needs can change depending on applications and driving mode.



EZ SDI - SDI 2.0 SYSTEM IS AVAILABLE FOR THE FOLLOWING VEHICLES:

Ver.24 - 01_08_2018



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
i30	1600	5	G4FD	99	Direct Aspirated	Kefico MED 179.8	2012	LPG	
i30	1600	6	G4FJ	137	Direct Supercharged	Kefico MED 179.8	2016	LPG	
ix35	1600	5	G4FD	99	Direct Aspirated	Kefico MED 179.8	2010	LPG	
TUCSON	1600	6	G4FJ	130	Direct Supercharged	KEFICO MED 175.21	2016	LPG	
TUCSON	1600	6	G4FD	97	Direct Aspirated	KEFICO MED 179.8	2016	LPG	
VELOSTER	1600	5	G4FD	103	Direct Aspirated	Kefico MED 179.8	2011	LPG	



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
CARENS	1600	6	G4FD	99	Direct Aspirated	KEFICO MED 179.8	2015	LPG	
CEE'D	1600	6	G4FD	99	Direct Aspirated	Kefico MED 179.8	2015	LPG	
CEE'D GT	1600	5b	G4FJ	150	TGDI	MED 179.8	2014	LPG	
SPORTAGE	1600	5	G4FD	99	Direct Aspirated	Kefico MED 179.8	2010	LPG	
SPORTAGE	1600	5	G4FD	99	Direct Aspirated	Kefico MED 179.8	2010-2015	CNG	
SPORTAGE	1600	6	G4FD	99	Direct Aspirated	Kefico MED 179.8	2015	CNG	
SPORTAGE MY16 Facelift	1600	6	G4FD	99	Direct Aspirated	Kefico MED 179.8	2016	LPG	
SPORTAGE	2000	5	G4NC	122	Direct Aspirated	G 2.0 GDI-NU	2013	LPG	Automatic



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
RANGE ROVER EVOQUE	2000	5B	204PT	177	Direct Supercharged	Bosch	2012	LPG	Automatic



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
2	1500	5B	P5	55	Direct Supercharged	MAZDA	2016	LPG	
3 SKYACTIVE-G	1500	5B	P5	74	Direct Supercharged	MAZDA	2014	LPG	
CX5 SKYACTIVE	2000	5B	PE	118	Direct Aspirated	MAZDA	2012	LPG	Automatic - 4WD
CX-7	2300	4	L3	191	Direct Supercharged	MAZDA	2007-2013	LPG	
CX-7	2300	5A	L3	191	Direct Supercharged	MAZDA	2010-2013	LPG	

On SDI 2.0 system, the VSR strategy can be enabled; this strategy can use some petrol fuel even when the vehicle is running on gas, in case of special engine conditions - such as full load, operating speed... – in order to preserve the engine components. The amount of petrol the system needs can change depending on applications and driving mode.



EZ SDI - SDI 2.0 SYSTEM IS AVAILABLE FOR THE FOLLOWING VEHICLES:

Ver.24 - 01_08_2018



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
MINI COOPER	1600	5A	N18B16A	135	Direct Supercharged	BOSCH	2011	LPG	



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
JUKE NISMO	1600	6	MR16	140	Direct Supercharged	Hitachi	2014	LPG	
JUKE DIG-T	1600	5	MR16	147	Direct Supercharged	Hitachi Nismo	2015	LPG	
JUKE DIG-T	1600	6	MR16 AT	140	Direct Supercharged	Hitachi Nismo	2015	LPG	Automatic
NOTE DIG-S	1200	5B	HR12	72	Aspirated	Hitachi	2016	LPG	Start & Stop
QASHQAI	1200	5B	HRA2	85	Direct Supercharged TCE	Continental	2014	LPG	



Wir leben Autos.

MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
ADAM	1000	6	B10XFT	66	Direct Supercharged	Delphi	2014	LPG	Start & Stop
ADAM	1000	6	B10XFT	66	Direct Supercharged	Delphi	2014	CNG	Start & Stop
ASTRA 3 Cyl.	1000	6	B10XFT	77	Direct Supercharged	Delphi	2016	LPG	
ASTRA	1400	6B	B14XFT	110	Direct Supercharged	Delphi	2016	LPG	



PEUGEOT

MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
207	1600	5	5FR	115	Direct Supercharged	Bosch Motronic MED 17.4.2	2010-2014	LPG	
208	1200	6	HN01	81	Direct Supercharged	Valeo VD46.1	2016	LPG	
308	1200	6	HN01	81	Direct Supercharged	Valeo VD46.1	2016	LPG	
308	1600	4	5FX	110	Direct Supercharged	Bosch Motronic MED 17.4	2007-2011	LPG	
308	1600	4	5FX	116	Direct Supercharged	Bosch Motronic MED 17.4.2	2010	CNG	Automatic
408	1600	-	5GV	124	Direct Supercharged	Bosch MED 17.4.4	2015/2016	CNG	Automatic - FlexFuel
2008	1200	6	HN01	81	Direct Supercharged	Valeo VD46.1	2016	LPG	Start & Stop
5008	1600	6	5GZ	121	Direct Supercharged	Bosch MED 17.4.4	2014-2017	LPG	Automatic

On SDI 2.0 system, the VSR strategy can be enabled; this strategy can use some petrol fuel even when the vehicle is running on gas, in case of special engine conditions - such as full load, operating speed... - in order to preserve the engine components. The amount of petrol the system needs can change depending on applications and driving mode.



EZ SDI - SDI 2.0 SYSTEM IS AVAILABLE FOR THE FOLLOWING VEHICLES:

Ver.24 - 01_08_2018



RENAULT

MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
CLIO RS	1600	6B	M5M A4	162	Direct Supercharged	CONTINENTAL EMS3155	2016	LPG	
MEGANE	1200	5B	H5F A4	85	Direct Supercharged TCE	CONTINENTAL	2014	LPG	Start & Stop



SEAT

MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
IBIZA	1200	5	CBZB	77	Direct Supercharged	Continental Simos 10.22.A	2010-2013	LPG	
IBIZA	1200	6	CJZC	66	Direct Supercharged TSI	BOSCH MED 17.5.25	2015	LPG	
IBIZA CUPRA	1400	5A	CTHE	132	Direct Supercharged	BOSCH MED 17.5.25	2016	LPG	Start & Stop
LEON	1400	5	CAXA	90	Direct Supercharged	BOSCH MED 17.5.5	2010	LPG	
LEON	1200	5	CBZB	77	Direct Supercharged	Continental	2010-2013	LPG	
LEON	1400	6B	CZCA	92	Direct Supercharged TSI	Bosch Motronic MED 17.5.25	2015	LPG	Start & Stop
TOLEDO	1200	5	CBZB	77	Direct Supercharged	Continental SIMOS 10.22A	2015	LPG	



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
FABIA	1000	6	CHZB	70	Direct Supercharged TSI	BOSCH MED 17.5.21	2016	LPG	
FABIA	1200	5	CBZA	63	Direct Supercharged	Continental	2012	LPG	
FABIA	1200	6	CJZC	66	Direct Supercharged TSI	Bosch MED 17.5.25	2014	CNG	
FABIA	1200	6	CJZC	66	Direct Supercharged TSI	Bosch MED 17.5.25	2015	LPG	
QODIAK	1400	6B	CZCA	92	Direct Supercharged TSI	Bosch MED 17.5.25	2015	LPG	Start & Stop
OCATAVIA	1400	6B	CZDA	110	Direct Supercharged TSI	Bosch MED 17.5.25	2016	LPG	Start & Stop
ROOMSTER	1200	5B	CBZB	63	Direct Supercharged TSI	CONTINENTAL	2014	LPG	
ROOMSTER	1200	5	CBZB AT	77	Direct Supercharged	CONTINENTAL SIMOS 10.22A	2015	LPG	
RAPID	1200	6	CJZC	66	Direct Supercharged TSI	BOSCH MED 17.5.25	2015	LPG	
SUPERB	1800	5	CEA	116	Direct Supercharged TSI	Bosch	2013	CNG	
SUPERB	3600	5	CDVA	191	Direct Supercharged	Bosch	2012	LPG	Automatic
YETI	1200	5	CBZB	77	Direct Supercharged	Continental 03F906070JH	2009-2013	LPG	

On SDI 2.0 system, the VSR strategy can be enabled; this strategy can use some petrol fuel even when the vehicle is running on gas, in case of special engine conditions - such as full load, operating speed... – in order to preserve the engine components. The amount of petrol the system needs can change depending on applications and driving mode.



EZ SDI - SDI 2.0 SYSTEM IS AVAILABLE FOR THE FOLLOWING VEHICLES:

Ver.24 - 01_08_2018



SUZUKI

MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
SWIFT	1000	6B	K10C	82	Direct Supercharged	Bosch DI-Motronic	2016	LPG	Boosterjet
S-CROSS	1000	6B	K10C	82	Direct Supercharged	Bosch DI-Motronic	2016	LPG	Boosterjet
VITARA	1400	6B	K14C	103	Direct Supercharged	Bosch 0 261 S11 956 (658)	2015	LPG	Boosterjet



SUBARU

MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
LEVORG CVT	1600	6B	FB16	125	Direct Supercharged	Hitachi	2016	LPG	CVT + Start & Stop



VOLVO

MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
V40	1600	5B	B4164TA	88	DDirect Supercharged	Bosch 31312578 DZL7C	2013	LPG	Start & Stop
V40	1600	5B	B4164TA	88	Direct Supercharged	Bosch 31312578 DZL7C	2013	CNG	Start & Stop
XC90 T8 Hybrid	2000	6	B4204T35	235 + 65	Direct Supercharged	Denso	2015	LPG	

On SDI 2.0 system, the VSR strategy can be enabled; this strategy can use some petrol fuel even when the vehicle is running on gas, in case of special engine conditions - such as full load, operating speed... – in order to preserve the engine components. The amount of petrol the system needs can change depending on applications and driving mode.



EZ SDI - SDI 2.0 SYSTEM IS AVAILABLE FOR THE FOLLOWING VEHICLES:

Ver.24 - 01_08_2018



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
CADDY	1200	5	CBZB	77	Direct Supercharged	Continental	2010	LPG	
GOLF	1200	5	CBZB	77	Direct Supercharged	Continental SIMOS 10.22A	2010	LPG	
GOLF	1400	4	BMV	103	Direct Supercharged	Bosch Motronic MED 17.5.1	2006-2008	LPG	
GOLF	2000	4	AXX	147	Direct Supercharged	Bosch Motronic MED 9.1	2004-2008	LPG	
GOLF	2000	4	BWA	147	Direct Supercharged	Bosch Motronic MED 9.1	2006-2008	LPG	
GOLF	2000	4	BPY	147	Direct Supercharged	Bosch Motronic MED 9.1	2005-2008	LPG	
GOLF 6	1400	5	CAXA	90	Direct Supercharged	Bosch MED 17.5.5	2010	LPG	Automatic
GOLF 6	2000	5A	CCZB	155	Direct Supercharged TSI	Bosch MED 17.5	2011	LPG	
GOLF 7	1200	6	CJZB	63	Direct Supercharged TSI	Bosch Motronic MED 17.5.21	2014	LPG	Press. RAIL= 120 ÷ 200 bar
GOLF 7	1400	5	CXSA	90	Direct Supercharged TSI	Bosch Motronic MED 17.5.21	2014	LPG	
GOLF 7	1200	5B	CJZA	77	Direct Supercharged TSI	Bosch Motronic MED 17.5.21	2014	LPG	Press. RAIL= 120 ÷ 200 bar
GOLF 7	1200	6B	CYVA	63	Direct Supercharged TSI	Bosch Motronic MED 17.5.21	2014	LPG	Press. RAIL= 120 ÷ 200 bar
PASSAT	1800	4	BZB	118	Direct Supercharged	Bosch Motronic MED 17.5.1	2007-2010	LPG	
PASSAT	2000	4	BVZ	110	Direct Aspirated	Bosch Motronic MED 9.5.10	2005-2008	LPG	
PASSAT	2000	4	BVY	110	Direct Aspirated	Bosch Motronic MED 9.5.10	2005-2010	LPG	

On SDI 2.0 system, the VSR strategy can be enabled; this strategy can use some petrol fuel even when the vehicle is running on gas, in case of special engine conditions - such as full load, operating speed... – in order to preserve the engine components. The amount of petrol the system needs can change depending on applications and driving mode.



EZ SDI - SDI 2.0 SYSTEM IS AVAILABLE FOR THE FOLLOWING VEHICLES:

Ver.24 - 01_08_2018



MODEL	cc	EURO	ENGINE	kW	INJECTION	PETROL ECU	YEAR	SUPPLY	NOTES
SCIROCCO	1400	4	CAVD	118	Direct Supercharged	Bosch Motronic MED 17.5.1	2008-2014	LPG	
SCIROCCO	1400	5	CAVD	118	Direct Supercharged TSI	Bosch Motronic MED 17.5.10	2009	LPG	
SCIROCCO	1400	5	CAXA	103	Direct Supercharged	Bosch Motronic MED 17.5.5	2015	LPG	
TIGUAN	1400	4	BWK	110	Direct Supercharged	Bosch Motronic MED 17.5.11	2007-2009	LPG	
TIGUAN	1400	5A	CAVA	110	Direct Supercharged	Bosch Motronic MED 17.5.10	2009	LPG	
TIGUAN	1400	5B	CTHD	118	Direct Supercharged	Bosch Motronic MED 17	2014	LPG	Start & Stop
TIGUAN	1400	5	CAVD	118	Direct Supercharged TSI	Bosch Motronic MED 17.5.10	2009	LPG	
TIGUAN	1400	6B	CZDB	92	Direct Supercharged TSI	Bosch Motronic MED 17.5.25	2016	LPG	Start & Stop
TIGUAN	1400	5B	CAXA	90	Direct Supercharged	Bosch Motronic MED 17.5.5	2010	LPG	
TIGUAN	2000	5	CCZA	147	Direct Supercharged TSI	Bosch Motronic MED 17.5	2011	LPG	Automatic
TIGUAN	1400	6B	CZDB	92	Direct Supercharged TSI	Bosch Motronic MED 17.5.25	2016	LPG	Start & Stop
TOURAN	1400	6	CTHC	103	Direct Supercharged	Bosch Motronic MED 17.5.5	2015	LPG	Automatic
TOURAN	1200	6B	CYVB	81	Direct Supercharged TSI	Continental	2016	LPG	Start & Stop
TRANSPORTER T5	2000	5	EA888 CJKA	150	Direct Supercharged	Bosch Motronic MED 17.1	2011	CNG	

On SDI 2.0 system, the VSR strategy can be enabled; this strategy can use some petrol fuel even when the vehicle is running on gas, in case of special engine conditions - such as full load, operating speed... – in order to preserve the engine components. The amount of petrol the system needs can change depending on applications and driving mode.